

Product Highlights

Extend Your High-Speed Wireless Network

Extend your home wireless coverage and enjoy wireless connection speeds of up to 300 Mbps with Wireless N technology¹

Flexible and Versatile

The built-in Ethernet port lets you give a wired device the ability to connect wirelessly, or add wireless to an existing wired network

Easy to Set Up

Just plug it in within range of your wireless network, then push a button on it and your router and you're done; no messy configuration required



DAP-1325

N300 Wi-Fi Range Extender

Features

Connectivity

- Wireless N gives you high-speed wireless connectivity for your devices
- Wireless 802.11g backward compatibility
- Wireless speeds of up to 300 Mbps¹
- 10/100 Fast Ethernet Port

Security

- WPA2/WPA wireless encryption to keep your wireless connection secure
- Wi-Fi Protected Setup (WPS) for secure setup with the simple press of a button

Easy to Use

- One-piece wall plug design is compact, portable, and does not require additional power cables
- Built-in setup wizard and QRS Mobile app for mobile devices guide you through installation

The DAP-1325 N300 Wi-Fi Range Extender is a portable plug-in repeater that lets you extend an existing wireless network. Simply place it anywhere in your home to extend the range of your wireless network. Supporting Wireless N, this tiny yet powerful N300 Wi-Fi Range Extender gives you connection speeds of up to 300 Mbps, while still being backwards compatible with your existing wireless devices.

Extend Your Wireless Network

Increase the coverage of your home wireless network with the sleek and easy-to-use DAP-1325 N300 Wi-Fi Range Extender. N300 technology helps to extend wireless range in your home or office and also provides backward compatibility with older wireless devices in your network, allowing you to enjoy a fast, reliable wireless connection. Alternatively, use the built-in Fast Ethernet port and your home's existing wired Ethernet cabling to extend wireless coverage without worrying about signal strength.


Easy to Set Up, Easy to Use

Setting up the N300 Wi-Fi Range Extender is simple. Just use the one-touch configuration function by pushing the WPS push-button on the DAP-1325 and on the router or AP you want to extend, and the DAP-1325 will automatically configure itself for you. Alternatively, you can use the supported QRS Mobile app on your iPhone, iPad, or iPod touch, or Android mobile device to set up the DAP-1325 easily without needing a computer. The N300 Wi-Fi Range Extender even includes a built-in setup wizard that lets you configure it both wired and wirelessly with a PC or mobile device.


Compact, Convenient Design

The DAP-1325's compact design and intuitive setup makes it perfect for use at home or in a small office. Simply plug it in and use the bright signal indicator LED to find the best location to extend your network. Its diminutive wall-plug design saves you the hassle of dealing with a power cord and its sleek, unobtrusive appearance blends easily into the decor of any home or office.

Extend Your Wireless Network using Wi-Fi



Add Wireless to your Wired Ethernet Network



Technical Specifications

General

Device Interfaces	• 802.11n/g Wireless LAN • 10/100 Fast Ethernet Port	• Reset Button • WPS Button
LEDs	• Status/WPS	• 3 segment Wi-Fi signal strength indicator
Standards	• IEEE 802.11n • IEEE 802.11g	• IEEE 802.3u
Antennas	• Two external antennas	
Plug Type	• Region dependent	

Functionality

Wireless Security	• Wi-Fi Protected Access (WPA/WPA2)	• WPS (PBC)
Advanced Features	• D-Link One-Touch Extender Setup	
Device Management	• Supports QRS Mobile app for iPhone, iPad, iPod touch, and Android mobile devices	• Web UI

Physical

Dimensions	• 97.9 x 50.7 x 48.7 mm (3.85 x 2.00 x 1.91 inches)²	
Weight	• 97 grams (3.42 ounces)	
Power	• Input: 110 to 240 V AC, 50/60 Hz	
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)	• Storage: -20 to 70 °C (-4 to 158 °F)

DAP-1325 N300 Wi-Fi Range Extender

Humidity	• Operating: 10% to 90% non-condensing • Storage: 5% to 90% non-condensing	
Certifications	• FCC • IC • CE • RCM • IDA • CB	• LVD • UL • WPS • Wi-Fi Certified • RoHS
Warranty		
Warranty	• 1-Year Limited Warranty ³	
Order Information		
Part Number	Description	
DAP-1325	N300 Wi-Fi Range Extender	

¹ Maximum wireless signal rate derived from the IEEE Standard 802.11n specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, may lower actual data throughput rate. Environmental factors will adversely affect wireless signal range.

² Dimensions do not include the regional plug type.

³ 1-Year Limited Warranty available in the USA at <http://support.dlink.com/warranty>.

Version 1.00 US Updated 03/27/18

For more information

U.S.A. | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com

©2018 D-Link Corporation/D-Link Systems, Inc. All rights reserved. D-Link and the D-Link logo are registered trademarks of D-Link Corporation or its subsidiaries in the United States and/or other countries. Other trademarks or registered trademarks are the property of their respective owners. All references to speed are for comparison purposes only. Product specifications, size and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.

Visit us.dlink.com for more details.

D-Link[®]
Building Networks for People