# **D-Link**®







1080p Full HD Video Quality

180° Ultra-Wide Angle Lens

microSD/SDXC Card Slot



Sound & Motion Detection Alerts



Wi-Fi Signal Locator



16 Feet Night Vision



WPS & Mobile App for Easy Setup



mydlink® Apps for Remote Viewing



## DCS-2530L

# FULL HD 180-DEGREE WI-FI CAMERA

#### **Features**

#### Premium Resolution and Visibility

- Full HD 1080p resolution image quality
- 2 Megapixel progressive CMOS sensor
- See up to 16 feet in complete darkness with built-in IR LEDs
- Supports H.264/M-JPEG video codecs
- 180° (D) Field of View for wider camera coverage
- 10x digital zoom for close-up viewing

#### Security

- Sound and motion detection with push alert notifications
- microSD/SDXC card slot for local recording continuously, based on event triggers or according to a schedule<sup>1</sup>
- Built-in microphone

#### Ease of Use

- WPS support for easy wireless connection
- Wi-Fi signal locator LED guides you to the best placement for your camera
- Mobile app enabled setup

#### Convenient Control with mydlink® Support

- mydlink app support² for iPhone, iPad, Android devices and Windows phones
- mydlink.com web portal for easy viewing and management

#### Overview

The Full HD 180-Degree Wi-Fi Camera (DCS-2530L) with an ultra-wide 180° lens lets you keep a vigilant eye on your home and provides crisp HD 1080p video to watch your kids, pets or small office with wall-to-wall coverage. Night vision allows you to see up to 16 feet clearly in total darkness and with the built-in microphone and motion sensor, you can be notified whenever sound or motion is detected. With the microSD card slot you can record scheduled or triggered video clips and access them all easily from the free mydlink app so you never miss a moment. The Full HD 180-Degree Wi-Fi Camera also features a Wi-Fi signal locator LED which helps you determine optimum Wi-Fi connection when deciding where to place your camera, ensuring reliable Full HD 1080p video streaming and recording.

### Monitor Your Home with Fewer Cameras


The Full HD 180-Degree Wi-Fi Camera delivers the confidence of 1080p video clarity, ensuring rich detail and crisp image quality for your surveillance streaming and recording. The DCS-2530L's 180° ultra-wide angle lens uses unique hardware with de-warping technology to maximize the video quality with less distortion, letting you see more of your home at a glance. Avoid other costly recording solutions and use the Full HD 180-Degree Wi-Fi Camera's microSD/SDXC card slot to record up to 128 GB of video footage<sup>3</sup> or simply add a mydlink Camera Recorder (DNR-202L) to locally record up to 4 D-Link Wi-Fi Cameras for a scalable alternative for recording and storing video.

## Convenient Access Anytime, Anywhere with mydlink®

Access your camera through the free mydlink mobile app or website to view and manage your camera through your tablet, mobile phone, laptop or desktop, no matter where you are. There's no cost to use, no need for a base station and no limit on users or amount of products per account! mydlink is an easy to use, intuitive app, perfect for your remote monitoring needs.



## DCS-2530L FULL HD 180-DEGREE WI-FI CAMERA



See 50% more with the ultra-wide 180° lens



## View crisp and clear live video in HD 1080p





Camera		
Camera		
Hardware Profile	<ul> <li>1/3" 2 megapixel progressive CMOS sensor</li> <li>16 feet IR illumination distance</li> <li>Minimum illumination: 0 lux with IR LEDs on</li> <li>10x digital zoom</li> <li>Focal length: 1.7 mm</li> <li>Aperture: F2.5</li> <li>Stand angle: -15° to 90°</li> </ul>	<ul> <li>Angle of view (16:9):</li> <li>(H) 180°</li> <li>(V) 86°</li> <li>(D) 180°</li> <li>Minimum object distance: 11 inches</li> <li>Built-in microphone</li> </ul>
lmage Features	Configurable image size, quality, frame rate and bit rate Configurable brightness, saturation, contrast, sharpness and exposure time Time stamp and text overlays	<ul><li>Wide Dynamic Range (WDR)</li><li>3D filtering</li><li>Configurable privacy mask zones</li></ul>
Video Compression	Simultaneous H.264/MJPEG format compression     H.264 multicast streaming	JPEG for still images
Video Resolution	<ul> <li>1920 x 1080 at up to 15 fps</li> <li>1280 x 720 at up to 30 fps</li> </ul>	<ul> <li>800 x 448 at up to 30 fps</li> <li>640 x 360 at up to 30 fps</li> </ul>
Audio	• G.711 (128Kbps)	AAC (32 Kbps)
External Device Interface	Power/Status LED     WPS Button     Reset Button	<ul><li>microUSB Power Connector</li><li>microSD/SDHC/SDXC Card Slot</li><li>Wi-Fi Signal Locator LED</li></ul>
Network		
Network Protocols	<ul> <li>IPv6, IPv4, ARP, TCP, UDP, ICMP</li> <li>DHCP Client</li> <li>NTP Client (D-Link)</li> <li>DNS Client</li> <li>DDNS Client (D-Link)</li> <li>SMTP Client</li> </ul>	<ul> <li>HTTP Server</li> <li>UPnP Port Forwarding</li> <li>RTP/RTSP/RTCP</li> <li>HTTPS (for configuration)</li> <li>ONVIF</li> <li>Bonjour</li> </ul>
Security	Administrator and user group protection     Password authentication	HTTP and RTSP digest encryption
Wireless Connectivity	802.11n/g wireless with WPA/WPA2 encryption	Operates on 2.4GHz frequency bands
Recording		
microSD Card Slot	Supports microSD/SDHC/SDXC	• Up to 128 GB
mydlink Camera Recorder (DNR-202L)	Supports 2 external USB hard drives up to 4 TB each     Records up to 4 D-Link Wi-Fi Cameras	DNR-202L and USB hard drives sold separately
System Integration		
System Requirements for Web Interfaces	Operating system: Microsoft Windows 10 <sup>4</sup> /8/7 <sup>5</sup> or Mac OS X (10.7 and above)	Browser: Internet Explorer 8, Firefox 12, Safari 6 and Chrome 20 <sup>6</sup> or higher
Event Management	Event notification and uploading of snapshots/video clips via e-mail     Scheduled recording	<ul><li>Configurable motion detection windows</li><li>Configurable sound level detection</li></ul>



Remote Access		
Remote Management	Configuration interface accessible via web browser	
Mobile Support	<ul> <li>mydlink Lite app for iOS, Android and Windows Phon</li> <li>Check device app store for OS requirements</li> </ul>	nes • mydlink Plus (+) app for iOS and Android devices • Check device app store for OS requirements
General		
Weight	• 0.23 lbs	
Dimensions (W x D x H)	• 2.4 x 2.4 x 4.3 inches	
Power	• Input: 100 to 240 V AC, 50/60 Hz	Output: 5 V DC 1.2A
Power Consumption	• 4.5 watts	
Temperature	• Operating: 32 to 104 °F (0 to 40 °C)	- Storage: -4 to 158 °F (-20 to 70 °C)
Humidity	Operating: 20% to 80% non-condensing	Storage: 5% to 95% non-condensing
Certifications	· CE · CE LVD	• FCC • ICES
Package Contents	Full HD 180-Degree Wi-Fi Camera (DCS-2530L)     microUSB power adapter	Mounting screws     Quick install guide
Warranty	• 1 Year Limited	<ul> <li>For warranty and regulatory information please visit http://support.dlink.com/warranty</li> </ul>
Order Information		
Part Number	Description	
DCS-2530L	Full HD 180-Degree Wi-Fi Camera	

<sup>&</sup>lt;sup>1</sup> A microSDXC Class 6 card or above is recommended (not included). Supports card capacities up to 128GB.

### For more information

**U.S.A.** | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com

@2016 D-Link Corporation/D-Link Systems, Inc. All rights reserved. D-Link, the D-Link logo and mydlink logo are trademarks or registered trademarks of D-Link Corporation or its subsidiaries in the United States and/or other countries. Other trademarks or registered trademarks are the property of their respective owners. iPhone and iPad are registered trademarks of Apple Inc. Android is a trademark of Google Inc. Windows is a registered trademark of Microsoft Inc.









<sup>&</sup>lt;sup>2</sup>The DCS-2530L is not supported by the mydlink Home app and is not compatible with D-Link's Connected Home Series.

<sup>&</sup>lt;sup>3</sup> Use of audio or video equipment for recording the image or audio of a person without their knowledge and consent is prohibited in certain states or jurisdictions. The end-user assumes all liability for compliance with applicable state, local and federal laws.

<sup>&</sup>lt;sup>4</sup>Windows Edge not currently supported.

<sup>&</sup>lt;sup>5</sup>Computer must adhere to Microsoft's recommended system requirements.

<sup>&</sup>lt;sup>6</sup>Chrome for configuration only.