

### DCS-825L Firmware Release Note

Firmware Version: 1.03 3725

Date: Mar. 25, 2014

Mydlink Agent: 2.0.17-B50

## **Bug Fixed:**

1. Correct the daylight saving time rule for (GMT+12:00) Fiji.

- 2. Fix the HTTPS authentication issue for mydlink.
- 3. Fix the incorrect field spelling issue of CGI /config/portal\_info.cgi for mydlink.
- 4. Fix the unsuitable copyright issue.
- 5. Fix the incorrect SD card status issue after re-plugin SD card.
- 6. Remove the redundant LED icon from RMA page.

#### Limitation and Known Issue:

1. This \_RMA hidden page only support with Internet Explorer 10.

2. The description of help or helpful hints for \_RMA hidden page is not correct.

3. Please format micro SD card on your PC first before plug-in to camera.

4. The music file must contain ID3 tag to playback.

------END-------END------

Firmware Version: 1.03 3719

Date: Mar. 19, 2014

Mydlink Agent: 2.0.17-B50

### **New Feature:**

- 1. Support create music folder on SD card automatically.
- 2. Support full-duplex dqtalkie.
- 3. Support command fw\_upgrade for mydlink.
- 4. Support Group Gets /config/portal\_info.cgi for mydlink portal.

#### **Enhancement:**

- 1. Refine the cloud LED behavior.
- 2. Refine the default system time and copyright for year 2014.
- 3. Remove all SD card events for push notification.
- 4. Upgrade mydlink agent to v2.0.17-b50.
- 5. Refine SD format CGI to allow format SD while recording is enabled.
- 6. Refine /config/datetime.cgi for set date time and enable NTP at the same time.
- 7. Refine /config/led.cgi to control all LEDs for iSAP.
- 8. Refine iSAP Group Gets /users/babycam\_info.cgi for LED status.
- 9. Fine turn the response time on single CGIs.

## **Bug Fixed:**



- 1. Fix the break streaming issue when sync time with mobile device continuously.
- 2. Fix the fake sound detection which is triggered by ICR issue.
- 3. Fix the music play issue when camera speaker is disabled.
- 4. Fix the unsuitable status of Playing\_music if Talk function is enabled while music is playing for CGI /config/notify.cgi.
- 5. Bug #7846: [Music] The camera could not create a folder for music.
- 6. Bug #7558: [Cloud LED] Turn off then turn on the LED light on apps, the cloud LED can't light immediately.
- 7. Bug #7537: [Device Info] Enable AP client mode then disable it, the primary DNS still display on AP router mode.
- 8. Bug #7540: [Wireless] Change camera wireless connection via apps again, the camera can't connect successfully without network restart.

# Limitation and Known Issue:

- 1. This \_RMA hidden page only support with Internet Explorer 10.
- 2. The description of help or helpful hints for \_RMA hidden page is not correct.
- 3. Please format micro SD card on your PC first before plug-in to camera.
- 4. The music file must contain ID3 tag to playback.

------END-------END------

Firmware Version: 1.02 3427

Date: Dec. 27, 2013

Mydlink Agent: 2.0.17-B49

#### **New Feature:**

- 1. Upgrade mydlink agent to v2.0.17-b49.
- 2. Support high/low temperature events for mydlink.
- 3. Support Music Play from SD card.

### Limitation:

- a. Before copy the music files into the SD Card, please must create a [music] folder for the root SD card directory first.
- b. The music folder name is must using capital letters.
- c. DCS-825L only can recognize the music files as 01.mp3, 02.mp3, 03.mp3, 04.mp3 and 05.mp3 and totally music file can't exceed 5.
- d. The MP3 audio files must contain additional track data buried within them using ID3 tags.

#### **Enhancement:**

- 1. Improve boot-up speed.
- 2. Turn up the music volume at the beginning of booting up.

### **Bug Fixed:**

- 1. Fix the system music is unavailable issue.
- 2. Fix the incorrect LED behavior while rebooting on AP-Client mode.
- 3. Fix the micro SD card compatibility issue if the size is less than 8G.



#### Limitation and Known Issue:

- 1. This \_RMA hidden page only support with Internet Explorer 10.
- 2. The description of help or helpful hints for \_RMA hidden page is not correct.
- 3. Please format micro SD card on your PC first before plug-in to camera.
- 4. When increase/decrease the speaker's volume via [Volume +/-] button, the setting would not sync to speaker volume setting.
- 5. [Bug #7537] Enable AP client mode then disable it, the primary DNS still display on AP router mode.
- 6. [Bug #7540] Change camera wireless connection via apps again, the camera can't connect successfully without network restart.
- 7. [Bug #7846] The camera could not create a folder for music.

8. [Bug #7847] After plug-out then plug-in the SD card, the music folder would be fail to read.

------END-------END-------

Firmware Version: 1.01\_3327

Date: Nov. 27, 2013

Mydlink Agent: 2.0.17-B43

## **Bug Fixed:**

1. Fix the incorrect date and time setting for CGI /config/datetime.cgi.

#### **Known Issue:**

- 1. There is micro SD card compatibility issue if the size is less than 8G.
- 2. This \_RMA hidden page only support with Internet Explorer 10.
- The description of help or helpful hints for \_RMA hidden page is not correct.
- 4. Please format micro SD card on PC first before plug-in to camera.
- 5. [Bug #7537] Enable AP client mode then disable it, the primary DNS still display on AP router mode.
- 6. [Bug #7540] Change camera wireless connection via apps again, the camera can't connect successfully without network restart.
- 7. When increase/decrease the speaker's volume via [Volume +/-] button, the setting would not sync to speaker volume setting.

-----END------END--------

Firmware Version: 1.01\_3325

Date: Nov. 25, 2013

Mydlink Agent: 2.0.17-B43

# **Bug Fixed:**

1. Fix the incorrect default system time issue after re-plug the power.

## **Known Issue:**

- 1. There is micro SD card compatibility issue if the size is less than 8G.
- 2. This \_RMA hidden page only support with Internet Explorer 10.
- 3. The description of help or helpful hints for \_RMA hidden page is not correct.



- 4. Please format micro SD card on PC first before plug-in to camera.
- 5. [Bug #7537] Enable AP client mode then disable it, the primary DNS still display on AP router mode.
- 6. [Bug #7540] Change camera wireless connection via apps again, the camera can't connect successfully without network restart.
- 7. When increase/decrease the speaker's volume via [Volume +/-] button, the setting would not sync to speaker volume setting.

-----END------END-------

Firmware Version: 1.01 3321

Date: Nov. 21, 2013

Mydlink Agent: 2.0.17-B43

## **New Feature:**

- 1. Support Windows format size SD card.
- 2. Support SD card with multi-partitions.
- 3. Support following two behaviors while rebooting.
  - Light on the thermal LED in Blue/Green/Red colors for 0.5 seconds, respectively.
  - Play the boot up music if it's enabled.
- 4. Support following new CGIs.
  - Get /users/mydlink\_status.cgi
  - Get /users/babycam\_info.cgi
  - Get/Set /users/bootup\_music.cgi
- 5. Support display following items on Device Info web-page.
  - MAC address both for AP router and AP client.
  - Current wireless channel both for AP router and AP client.

### **Enhancement:**

- 1. Speed up following processes.
  - Boot up process for setup wizard
  - Change user password
  - Set date and time
  - Set wireless configuration
- 2. Enable NTP sync function with server "ntp1.dlink.com" as default.
- 3. Support play system music once for CGI /music/sys\_music\_play.cgi.
- 4. Support Get/Set light sensor threshold setting for CGI /config/icr.cgi.
- 5. Upgrade mydlink agent to v2.0.17-b43.

#### **Known Issue:**

- 1. There is micro SD card compatibility issue if the size is less than 8G.
- 2. This \_RMA hidden page only support with Internet Explorer 10.
- 3. The description of help or helpful hints for \_RMA hidden page is not correct.
- 4. Please format micro SD card on PC first before plug-in to camera.

------END-------END------



Firmware Version: 1.00\_3124

Date: Sep. 24, 2013

Mydlink Agent: 2.0.17-b38

## This is the first firmware release of DCS-825L.

## **Known Issue:**

- 1. There is micro SD card compatibility issue if the size is less than 8G.
- 2. This \_RMA hidden page only support with Internet Explorer 10.
- 3. The description of help or helpful hints for \_RMA hidden page is not correct.
- 4. Please format micro SD card on PC first before plug-in to camera.