



Firmware Version: v1.04_4026
Prom Code Version:
Published Date: 2014/8/14

Content:

Upgrading Instructions:..... 3

New Features:..... 2

Problems Fixed: 3

Known Issues: 3

Related Documentation: 3

Revision History and System Requirement:

Firmware Version	Date	Model	Hardware Version
v1.04_4026	2014/8/14	DCS-825L	A1
v1.03_3725	2014/4/14	DCS-825L	A1
V1.02_3427	2014/1/13	DCS-825L	A1
V1.01_3327	2013/11/29	DCS-825L	A1
V1.00	2013/10	DCS-825L	A1

New Features:

Firmware Version	New Features
v1.04_4026	<ol style="list-style-type: none"> 1. Support EN300 328 v1.8.1. 2. Upgrade mydlink agent to v2.0.17-B81.
v1.03_3725	<ol style="list-style-type: none"> 1. Correct the daylight saving time rule for (GMT+12:00) Fiji. 2. Fix the HTTPS authentication issue for mydlink. 3. Fix the incorrect field spelling issue of CGI /config/portal_info.cgi for mydlink. 4. Fix the unsuitable copyright issue. 5. Fix the incorrect SD card status issue after re-plugin SD card. 6. Support full-duplex dgtalkie. 7. Support command fw_upgrade for mydlink. 8. Support Group Gets /config/portal_info.cgi for mydlink portal.
V1.02_3427	<ol style="list-style-type: none"> 1. Improve boot-up speed. 2. Support high/low temperature events for mydlink. 3. Turn up the volume of boot up music. 4. Upgrade mydlink agent to v2.0.17-b49.
V1.01_3327	<ol style="list-style-type: none"> 1. Support Windows format size SD card. 2. Support SD card with multi-partitions. 3. Support following two behaviors while rebooting. <ul style="list-style-type: none"> ●Light on the thermal LED in Blue/Green/Red colors for 0.5 seconds, respectively. ●Play the boot up music if it's enabled. 4. Support display following items on Device Info web-page. <ul style="list-style-type: none"> ●MAC address both for AP router and AP client. ●Current wireless channel both for AP router and AP client. 5. Speed up following processes. (work with v1.02 App) <ul style="list-style-type: none"> ●Boot up process for setup wizard

	<ul style="list-style-type: none"> ●Change user password ●Set date and time ●Set wireless configuration <p>6. Enable NTP sync function with server "ntp1.dlink.com" as default.</p> <p>7. Upgrade mydlink agent to v2.0.17-b43.</p>

Problems Fixed:

Firmware Version	Problems Fixed
v1.04_4026	Fix HTTP/HTTPS authentication issue for specific symbol password by upgrading lighttpd server.

Known Issues:

Firmware Version	Known Issues

Related Documentation:

N/A

Upgrading Instructions:

Follow the steps below to upgrade the firmware:

1. Download the latest firmware file from the D-Link website. The file is in .bin file format.

For Windows:

Step 1

In the **Control Panel**, click **Network and Internet**.


Adjust your computer's settings

View by: Category ▾




Step 2

Click **View network computers and devices**.



Step 3

Make a note of the camera's IP address.



Step 4

Open a web browser and enter “**http://IP_Address/eng/admin/tools_firmware.cgi**” in the address bar (where **IP_Address** is the IP address you made a note of in Step 3).

FIRMWARE UPGRADE

A new firmware upgrade may be available for your IP camera. It is recommended to keep your IP camera firmware up-to-date to maintain and improve the functionality and performance of your internet camera. Click here [D-Link Support Page](#) to check for the latest firmware version availability. To upgrade the firmware on your IP camera, please download and save the latest firmware version from the D-Link Support Page to your local hard drive. Locate the file on your local hard drive by clicking the Browse button. Once you have found and opened the file using the browse button, click the "Upload" button to start the firmware upgrade.

FIRMWARE INFORMATION	
Current Firmware Version:	1.00
Current Firmware Build Number:	3124
Current Agent Version:	2.0.17-b38

FIRMWARE UPGRADE


File Path:

Step 5

If you do not already have the firmware file to use, follow the instructions on this page to download the latest file from the D-Link Support Page. Then click **Browse...** and locate the file. Finally, click the **Upload** button.

For Mac:**Step 1**

Open **Safari**, and click **Bonjour**.


**Step 2**

Select the device you want to perform the firmware upgrade on.



Step 3

Add “/eng/admin/tools_firmware.cgi” to the address currently in the address bar and press **Enter**.



Step 4

If you do not already have the firmware file to use, follow the instructions on this page to download the latest file from the D-Link Support Page. Then click **Browse...** and locate the file. Finally, click the **Upload** button.