



## QUICK INSTALL GUIDE DPH-128MS

VERSION 1.0

---

# System Requirements

- Computers with Microsoft® Windows® XP or Windows Vista® operating systems with an installed Ethernet adapter
- Internet Explorer Version 6.0, Mozilla 1.7.12 (5.0), or Firefox 1.5 and above (for configuration)

## Package Contents



D-Link DPH-128MS IP Phone



Manual and QIG on CD



CAT5 Ethernet Cable



Power Adapter

**Note:** Using a power supply with a different voltage rating than the one included with the DPH-128MS will cause damage and void the warranty for this product.

***If any of the above items are missing, please contact your reseller.***

---

# Hardware Overview

## Front



**Note:** Please see the Manual for more information.

---

# Hardware Overview

## Rear

### Power Receptor

Connect the supplied power adapter to your power receptor.

### PC Port

This port is used to connect an Ethernet cable from your IP Phone to your PC.



### LAN Port

This port is used to connect an Ethernet cable from your IP Phone to your Local Area Network.

---

## Installation

Connect one end of the Ethernet cable to the LAN port on the IP Phone and connect the other end of the Ethernet cable to your Local Area Network using your hub, or switch.

Plug the power adapter into an AC outlet or power strip and plug the other end into the AC input on the phone. The Power LEDs will light up to indicate proper connection.

When you have connected the IP Phone to your network it should look like the diagram below.



---


# Configure the DPH-128MS IP Phone

**Note:** Microsoft® Response Point™ Administrator only operates with Windows® XP SP2 or Windows Vista®.

Open Microsoft Response Point Administrator to configure the IP Phone using the Configure Phone Wizard. Use the following steps to configure the IP Phone:

In Microsoft Response Point Administrator, click the **Phone System** tab at the top of the screen if necessary.

In the **Tasks** panel, under **Phones**, click **Add Phone** to launch the Configure Phone Wizard.




Select the check box confirming the IP Phone is connected and plugged in. Click **Next** to continue.




---

Select the D-Link DPH-128MS IP Phone you just connected and click **Next** to continue.



For this step, you will add a new user and assign that user to the phone you just configured. Click **Assign User** to open the New User screen.



On the **Identification** tab, in the **User Type** box, select **Person** from the drop down menu if it is not already selected.

In the **Name** boxes, type the first and last name, and optional nicknames or titles of the person who will use this phone. You should specify nicknames and titles if you think callers will use when asking for this user.

In the **Extension number** box, change the extension number if desired and click **OK** to continue.

**New User**

Identification | Voicemail | Call Forwarding

User type: Person

A person with his or her own extension number, such as "Steve Valdez" or "Barry Johnson."

**Name**

Type names as you expect callers to say them.

First name: John Last name: Doe Second Name: ...

Middle name (optional): Title (optional): Other title (optional):

Dr. Miss Mr. Mrs. Example: Professor

**Extension number and password**

Extension number: 100 Reset Password...

**Directory listing**

List this user and extension number in the directory accessible by external callers

OK Cancel Help

You have now assigned the person's name to Line 1 with the extension number you specified. You can assign up to 3 additional users to this phone or click **Next** to continue.

**Configure Phone**

Who will receive calls on this phone?

Users who receive calls on this phone:

Primary User: Steve Valdez (100) Assign User... Remove User

Alternate 1: <Unassigned>

Alternate 2: <Unassigned>

Alternate 3: <Unassigned>


Move User Up Move User Down

\* The user assigned in this position is the primary user of the phone. Which user is primary may determine the caller ID for calls placed from the phone, when the voicemail notification light is lit, and other behavior. See your phone documentation for information.

< Back Next > Cancel Help

---

The owner and phone name have automatically been created for you. Click **Finish** to continue.



The IP Phone has been successfully added to the phone system. Click **Close** to exit the configuration wizard.







---

# Technical Support

D-Link's website contains the latest user documentation and software updates for D-Link products.

U.S. and Canadian customers can contact D-Link Technical Support through our website or by phone.

## United States

### Telephone

(888) 404-6262

### World Wide Web

<http://support.dlink.com>

## Canada

### Telephone

(888) 404-6262

### World Wide Web

<http://support.dlink.com>



Version 1.0  
March 4, 2009

©2009 D-Link Corporation/D-Link Systems, Inc. All rights reserved. D-Link, the D-Link logo, and the VoiceCenter logo are trademarks or registered trademarks of D-Link Corporation or its subsidiaries in the United States and/or other countries. Microsoft Response Point is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. Windows is a registered trademark of Microsoft Corporation in the United States and other countries. Other trademarks or registered trademarks are the property of their respective owners. The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted herein are fictitious. No association with any real company, organization, product, domain name, e-mail address, logo, person, places or events is intended or should be inferred.